

EASYGRIP PUSH FIT FITTINGS

EASYGRIP TEE



- Designed to simplify pipe installation
- Allows users to connect pipe in seconds
- Instant push-fit connection for ease of use
- Certified to 200 psi and 200°F (93°C)
- Fits OD controlled CPVC, PEX and Copper pipe
- Body composed of solid DZR Brass
- Supplied with insert(s)

EASYGRIP END CAP



- Designed to simplify pipe installation
- Allows users to connect pipe in seconds
- Instant push-fit connection for ease of use
- Certified to 200 psi and 200°F (93°C)
- Fits OD controlled CPVC, PEX and Copper pipe
- Body composed of solid DZR Brass
- Supplied with insert(s)

PART#	DESCRIPTION
69713	1/2" x 1/2" x 1/2" Tee
69714	3/4" x 3/4" x 3/4" Tee
69715	3/4" x 3/4" x 1/2" Red - Tee
69716	3/4" x 1/2" x 3/4" Red - Tee
69717	3/4" x 1/2" x 1/2" Red - Tee
69720	1" x 1" x 1" Tee
69723	1" x 1" x 3/4" Red - Tee

PART#	DESCRIPTION
69718	1/2" End Cap
69719	3/4" End Cap
69727	1" End Cap

EASYGRIP STRAIGHT COUPLING



- Designed to simplify pipe installation
- Allows users to connect pipe in seconds
- Instant push-fit connection for ease of use
- Certified to 200 psi and 200°F (93°C)
- Fits OD controlled CPVC, PEX and Copper pipe
- Body composed of solid DZR Brass
- Supplied with insert(s)

EASYGRIP LONG REPAIR SLIP COUPLING



- Designed to simplify pipe installation
- Allows users to connect pipe in seconds
- Instant push-fit connection for ease of use
- Certified to 200 psi and 200°F (93°C)
- Fits OD controlled CPVC, PEX and Copper pipe
- Body composed of solid DZR Brass
- Supplied with insert(s)

PART#	DESCRIPTION
69700	1/2" Coupling
69701	3/4" Coupling
69722	1" Coupling
69702	3/4" x 1/2" Reducing Coupling
69721	1" x 3/4" Reducing Coupling

PART#	DESCRIPTION
69735	1/2" Repair Slip
69736	3/4" Repair Slip
69737	1" Repair Slip

EASYGRIP PUSH-FIT FITTINGS

EASYGRIP FEMALE IPS STRAIGHT CONNECTOR



- Designed to simplify pipe installation
- Allows users to connect pipe in seconds
- Instant push-fit connection for ease of use
- Certified to 200 psi and 200°F (93°C)
- Fits OD controlled CPVC, PEX and Copper pipe
- Body composed of solid DZR Brass
- Supplied with insert(s)

EASYGRIP MALE IPS STRAIGHT CONNECTOR



- Designed to simplify pipe installation
- Allows users to connect pipe in seconds
- Instant push-fit connection for ease of use (93°C)
- Fits OD controlled CPVC, PEX and Copper pipe
- Body composed of solid DZR Brass
- Supplied with insert(s)

PART#	DESCRIPTION
69703	1/2" x 1/2" FNPT
69704	3/4" x 3/4" FNPT
69705	1/2" x 3/4" FNPT
69725	1" x 1" FNPT

PART#	DESCRIPTION
69706	1/2" x 1/2" MNPT
69707	3/4" x 3/4" MNPT
69708	1/2" x 3/4" MNPT
69726	1" x 1" MNPT

EASYGRIP DROP EAR ELBOW



- Designed to simplify pipe installation
- Allows users to connect pipe in seconds
- Instant push-fit connection for ease of use
- Certified to 200 psi and 200°F (93°C)
- Fits OD controlled CPVC, PEX and Copper pipe
- Body composed of solid DZR Brass
- Supplied with insert(s)

EASYGRIP ELBOW



- Designed to simplify pipe installation
- Allows users to connect pipe in seconds
- Instant push-fit connection for ease of use
- Certified to 200 psi and 200°F (93°C)
- Fits OD controlled CPVC, PEX and Copper pipe
- Body composed of solid DZR Brass
- Supplied with insert(s)

PART#	DESCRIPTION
69712	1/2" x 1/2" FNPT

PART#	DESCRIPTION
69709	1/2" x 1/2" Elbow
69710	3/4" x 3/4" Elbow
69711	3/4" x 1/2" Elbow
69724	1" x 1" Elbow

EASYGRIP PUSH-FIT FITTINGS

EASYGRIP BALL VALVE



- Designed to simplify pipe installation
- Allows users to connect pipe in seconds
- Instant push-fit connection for ease of use
- Certified to 200 psi and 200°F (93°C)
- Fits OD controlled CPVC, PEX and Copper pipe
- Body composed of solid DZR Brass
- Supplied with insert(s)

EASYGRIP BALL VALVE IPS WITH DRAIN



- Designed to simplify pipe installation
- Allows users to connect pipe in seconds
- Instant push-fit connection for ease of use
- Certified to 200 psi and 200°F (93°C)
- Fits OD controlled CPVC, PEX and Copper pipe
- Body composed of solid DZR Brass
- Supplied with insert(s)

PART#	DESCRIPTION
69728	1/2" Ball Valve
69729	3/4" Ball Valve
69730	1" Ball Valve

PART#	DESCRIPTION
69739	1/2" Ball Valve with Drain

EASYGRIP CHECK VALVE



- Designed to simplify pipe installation
- Allows users to connect pipe in seconds
- Instant push-fit connection for ease of use
- Certified to 200 psi and 200°F (93°C)
- Fits OD controlled CPVC, PEX and Copper pipe
- Body composed of solid DZR Brass
- Supplied with insert(s)

EASYGRIP DISCONNECT TOOL



- Easy to use for removal of pipe from EASYGRIP Fittings

PART#	DESCRIPTION
69690	1/2" Check Valve
69691	3/4" Check Valve
69692	1" Check Valve

PART#	DESCRIPTION
69731	1/2"
69732	3/4"
69733	1"

EASYGRIP STOP VALVES

**EASYGRIP STOP VALVE ANGLE
3/8" COMP**



- Designed to simplify pipe installation
- Allows users to connect pipe in seconds
- Instant push-fit connection for ease of use
- Certified to 200 psi and 200°F (93°C)
- Fits OD controlled CPVC, PEX and Copper pipe
- Body composed of solid DZR brass
- Chrome Plated
- Supplied with insert(s)
- 1 per bag packaging

**EASYGRIP STOP VALVE
STRAIGHT 3/8" COMP**



- Designed to simplify pipe installation
- Allows users to connect pipe in seconds
- Instant push-fit connection for ease of use
- Certified to 200 psi and 200°F(93°C)
- Fits OD controlled CPVC, PEX and Copper pipe
- Body composed of solid DZR brass
- Chrome Plated
- Supplied with insert(s)
- 1 per bag packaging

PART#	DESCRIPTION
69740	1/2 Pushfit x 3/8 Compression

PART#	DESCRIPTION
69742	1/2 Pushfit x 3/8 Compression

**EASYGRIP STOP VALVE,
3 WAY**



- Designed to simplify pipe installation
- Allows users to connect pipe in seconds
- Instant push-fit connection for ease of use
- Certified to 200 psi and 200°F (93°C)
- Fits OD controlled CPVC, PEX and Copper pipe
- Body composed of solid DZR brass
- Chrome Plated
- Supplied with insert(s)
- 1 per bag packaging

**EASYGRIP STOP VALVE,
3 WAY**



- Designed to simplify pipe installation
- Allows users to connect pipe in seconds
- Instant push-fit connection for ease of use
- Certified to 200 psi and 200°(93°C)
- Fits OD controlled CPVC, PEX and Copper pipe
- Body composed of solid DZR brass
- Chrome Plated
- Supplied with insert(s)
- 1 per bag packaging

PART#	DESCRIPTION
69747	1/2 Pushfit x 3/8 x 3/8 Compression

PART#	DESCRIPTION
69748	1/2 Pushfit x 1/4 x 3/8 Compression

**EASYGRIP STOP VALVE
STRAIGHT 1/4" COMP**



- Designed to simplify pipe installation
- Allows users to connect pipe in seconds
- Instant push-fit connection for ease of use
- Certified to 200 psi and 200°F (93°C)
- Fits OD controlled CPVC, PEX and Copper pipe
- Body composed of solid DZR brass
- Chrome Plated
- Supplied with insert(s)
- 1 per bag packaging

**EASYGRIP STOP VALVE
ANGLE 1/4" COMP**



- Designed to simplify pipe installation
- Allows users to connect pipe in seconds
- Instant push-fit connection for ease of use
- Certified to 200 psi and 200°F(93°C)
- Fits OD controlled CPVC, PEX and Copper pipe
- Body composed of solid DZR brass
- Chrome Plated
- Supplied with insert(s)
- 1 per bag packaging

PART#	DESCRIPTION
69746	1/2 Pushfit x 1/4 Compression

PART#	DESCRIPTION
69744	1/2 Pushfit x 1/4 Compression

EASYGRIP BRAIDED SUPPLIES

EASYGRIP FLEXIBLE BRAIDED STAINLESS STEEL WATER HEATER SUPPLY CONNECTORS



- Used in residential and commercial applications
- Connects the hot and cold supply lines to the water heater
- Connectors are EPDM knitted with Braided Stainless Steel
- Connectors are 3/4" FIP x 3/4"
- Can connect to Copper(ASTM B88), PEX(ASTM F876) and CPVC(ASTM D2846) tubing (eliminates the need for additional transition fitting)

PART#	DESCRIPTION
55588	3/4" FIP x 3/4" Push Fit x 18"
55589	3/4" FIP x 3/4" Push Fit x 24"

EasyGrip™
 is the **new** way
 to connect pipe



Watch for new product releases from LynCar in the future to see this product category expand. Customer suggestions are always welcome.