

PEX ELBOWS - BRASS

PEX ELBOW



- PEX Brass Elbows make tight 90-degree connections for PEX tubing in supply and return mains.

PART#	DESCRIPTION
69500	1/2"
69501	1/2" x 3/4"
69502	3/4"
69503	1"

PEX DROP EAR ELBOW



- PEX Drop Ear Brass Elbow provides rigid 90-degree connections and the ability to secure PEX tubing.

PART#	DESCRIPTION
69521	1/2" PEX x 1/2" FPT

PEX SWEAT ELBOW



- PEX Sweat Elbows make tight 90-degree connections for PEX tubing in supply and return mains.

PART#	DESCRIPTION
69535	1/2" PEX x 1/2" Male Sweat
69536	1/2" PEX x 1/2" Female Sweat

PEX MALE THREAD ELBOW



- PEX Male Thread Elbow provides rigid 90-degree connections and the ability to secure PEX tubing..

PART#	DESCRIPTION
69537	1/2" PEX x 1/2" Male Thread

PEX FITTINGS - BRASS

PEX TEE



- Tee Descriptions = (end) x (end) x (middle)
- PEX Brass Tees make diverting connections for PEX tubing in supply and return mains

PART#	END	END	MIDDLE
69504	1/2"	1/2"	1/2"
69505	1/2"	1/2"	3/4"
69506	3/4"	1/2"	1/2"
69507	3/4"	1/2"	3/4"
69508	3/4"	3/4"	1/2"
69509	3/4"	3/4"	3/4"
69510	1"	3/4"	3/4"
69511	1"	1"	3/4"
69512	1"	1"	1"

PEX COUPLING



- PEX Brass Coupling makes PEX-to-PEX connections for PEX tubing

PART#	DESCRIPTION
69513	1/2" x 1/2" PEX
69514	1/2" x 3/4" PEX
69515	3/4" x 3/4" PEX
69516	1" x 1" PEX
69517	1/2" PEX x 1/2" Poly B
69518	3/4" PEX x 3/4" Poly B.

PEX FITTINGS - BRASS

PEX FEMALE ADAPTERS			PEX MALE ADAPTERS		
 <p>- PEX to Brass Female NPT Threaded Adapter connects PEX tubing to male NPT threads.</p>			 <p>- PEX to Brass Male NPT Threaded Adapter connects - PEX tubing to male NPT threads.</p>		
PART#	DESCRIPTION		PART#	DESCRIPTION	
69531	1/2" pex x 1/2" FPT		69527	1/2" pex x 1/2" MPT	
69532	1/2" pex x 3/4" FPT		69528	1/2" pex x 3/4" MPT	
69533	3/4" pex x 3/4" FPT		69529	3/4" pex x 3/4" MPT	
69534	3/4" pex x 1" FPT		69530	1" pex x 1" MPT	
PEX FEMALE SWEAT ADAPTERS			PEX MALE SWEAT ADAPTERS		
 <p>- PEX Brass Sweat Adapter transitions PEX tubing to copper pipe.</p>			 <p>- PEX Brass Sweat Adapter transitions PEX tubing to copper pipe.</p>		
PART#	DESCRIPTION		PART#	DESCRIPTION	
69524	1/2"		69522	1/2"	
69525	3/4"		69523	3/4"	
69526	1"				
PEX BEND SUPPORT			PEX PLUG		
 <p>- Plastic Bend Supports provide rigid 90 degree bend for PEX tubing. - Made of reinforced nylon.</p>			 <p>- PEX Brass Plugs terminate the end of PEX tubing. - Plugs are installed for temporary or permanent usage.</p>		
PART#	DESCRIPTION		PART#	DESCRIPTION	
1096	1/2"		69519	1/2"	
1097	3/4"		69520	3/4"	

PEX FITTINGS - BRASS

PEX SHOWER ELBOW



- Brass elbow for fiberglass / Acrylic showers
- Securely mounts the shower arm or tub spout nipple to the shower
- Locknuts secure elbows to wall of shower
- 1-1/32" hole required in shower for use
- PEX connection in 1/2" or 3/4" PEX

PART#	DESCRIPTION
1196	1/2" Pex packaged
1197	3/4" Pex packaged
1196Q	1/2" Pex bulk pack
1197Q	3/4" Pex bulk pack

POLY PEX CTS 2H SUSPENSION
PIPE CLAMP

- Black Poly PEX Clamps

PART#	DESCRIPTION
69606	1/2"
69607	3/4"
69608	1"
69609	1-1/4"
69610	1-1/2"
69611	2"

POLY PEX SUSPENSION PIPE
CLAMP

- Black Poly PEX Clamps

PART#	DESCRIPTION
69600	1/2"
69601	3/4"
69602	1"
69603	1-1/4"
69604	1-1/2"
69605	2"

PEX J CLAMP



- J clamps connect PEX Tubing to wood surfaces

PART#	DESCRIPTION
1093	1/2"
1094	3/4"
1095	1"

PEX FITTINGS - PLASTIC

PEX ELBOW



- Poly Alloy Plastic
- Certified to CSA B137.5
- Resistant to chlorine and scaling
- Off white in colour
- Poly bag packaged

PEX PLUG



- Poly Alloy Plastic
- Certified to CSA B137.5
- Resistant to chlorine and scaling
- Off white in colour
- Poly bag packaged

PART#	DESCRIPTION
69802	3/4" x 1/2" Elbow
69803	1/2" Elbow
69804	3/4" Elbow

PART#	DESCRIPTION
69813	1/2" Plug
69814	3/4" Plug

PEX FEMALE PLASTIC ADAPTORS SWIVEL



- Poly Alloy Plastic
- Certified to CSA B137.5
- Resistant to chlorine and scaling
- Off white in colour
- Poly bag packaged

PEX MALE PLASTIC ADAPTORS



- Poly Alloy Plastic
- Certified to CSA B137.5
- Resistant to chlorine and scaling
- Off white in colour
- Poly bag packaged

PART#	DESCRIPTION
69815	1/2" FPT Swivel x 1/2" Adaptor
69816	3/4" FPT Swivel x 3/4" Adaptor

PART#	DESCRIPTION
69809	1/2" MPT x 1/2" Adaptor
69810	3/4" MPT x 3/4" Adaptor
69811	3/4" MPT x 1/2" Adaptor
69812	1/2" MPT x 3/4" Adaptor

PEX FITTINGS

PEX TEE



- Poly Alloy Plastic
- Certified to CSA B137.5
- Resistant to chlorine as scaling
- Off white in colour
- Use same tools and brass fittings
- Poly bag packaged

PEX TEE



- Poly Alloy Plastic
- Certified to CSA B137.5
- Resistant to chlorine and scaling
- Off white in colour
- Use same tools and brass fittings
- Poly bag packaged

PART# DESCRIPTION

69800 1/2" Tee
69801 3/4" Tee

PART# DESCRIPTION

69817 1/2" x 1/2" x 3/4" Tee
69818 3/4" x 1/2" x 1/2" Tee
69819 3/4" x 1/2" x 3/4" Tee
69820 3/4" x 3/4" x 1/2" Tee

PEX SWIVEL ELBOW



- Poly Alloy Plastic
- Certified to CSA B137.5
- Resistant to chlorine and scaling
- Off white in colour
- Use same tools and brass fittings
- Poly bag packaged

PART# DESCRIPTION
69805 1/2" FPT Swivel x 1/2" Elbow

PEX COUPLING



- Poly Alloy Plastic
- Certified to CSA B137.5
- Resistant to chlorine and scaling
- Off white in colour
- Use same tools and brass fittings
- Poly bag packaged

PART# DESCRIPTION
69806 1/2" Coupling
69807 3/4" Coupling
69808 3/4" x 1/2" Coupling

PEX RINGS

SSC PEX "CLINCH CLAMP"



- LynCar offers the "OETIKER" Clinch Clamp
- A superior product over imported copies
- Stainless Steel - 530400 Grade

PART#	DESCRIPTION
1090	1/2"
1089	5/8"
1092	3/4"
1098	1"

PEX COPPER COMPRESSION RING




- WARNOCK HERSEY approved to CSA B137.5
- Packs as 100 per bag for contractor use

PART#	DESCRIPTION
7994	3/8"
7991	1/2"
7992	3/4"
7993	1"

PEX STUB OUT ELBOWS - BRASS


PEX STUB OUT ELBOWS



- Quality Assurance
- 100% air-pressure tested.
- Guaranteed leak-proof.
- Perfect bending (no deformation) ensure better flow.
- 1-1/4 radius bend for better fit inside 2 x 4 walls.

PART#	CONNECTION	TUBE SIZE	A	B	C
69750	3/8" PEX	1/2"	3-1/2"	6"	1-1/4"
69751	3/8" PEX	1/2"	3-1/2"	8"	1-1/4"
69752	1/2" PEX	1/2"	3-1/2"	6"	1-1/4"
69753	1/2" PEX	1/2"	3-1/2"	8"	1-1/4"
69754	1/2" PEX	1/2"	3-1/2"	12"	1-1/4"
69755	3/4" PEX	3/4"	4"	8"	1-3/4"
69756	3/4" PEX	3/4"	4"	12"	1-3/4"

PEX STUB OUT ELBOWS WITH STRAPS



- Quality Assurance
- 100% air-pressure tested.
- Guaranteed leak-proof.
- Perfect bending (no deformation) ensure better flow.
- 1-1/4 radius bend for better fit inside 2 x 4 walls.

PART#	CONNECTION	TUBE SIZE	A	B	C	D
69757	3/8" PEX	1/2"	3-1/2"	6"	1-1/4"	1-3/4"
69758	1/2" PEX	1/2"	3-1/2"	8"	1-1/4"	1-3/4"
69759	1/2" PEX	1/2"	3-1/2"	6"	1-1/4"	1-3/4"
69760	3/4" PEX	3/4"	4"	8"	1-3/4"	2"

PEX BALL VALVES

PEX BALL VALVE



- LynCar's ball Valve with PEX ends.
- Available in two sizes
- Brass body
- 600WOG
- With or without drain

PART#	DESCRIPTION
3347	1/2" PEX
3347D	1/2" PEX with drain
3348	3/4" PEX
3348D	3/4" PEX with drain

PEX BALL VALVE - BRASS MINI



- LYNCAR'S mini ball Valve with PEX ends.
- Available in three sizes,
- Brass body chrome brass handle

PART#	SIZE
3340	3/8" PEX, straight
3341	1/2" PEX, straight
3342	3/4" PEX, straight
3345	1/2" PEX, angle

SWEAT X PEX BALL VALVE



- LYNCAR'S ball Valve with Copper x PEX ends
- Available in two sizes
- Brass body
- 600WOG

PART#	DESCRIPTION
3347CXP	1/2" Copper x PEX
3348CXP	3/4" Copper x PEX

PEX 1/4 TURN STOPS



- 1/4 turn stop valves for PEX
- Straight or angle
- Chrome plated

PART#	TYPE	DESCRIPTION
3344	Straight stop valve	1/2" PEX x 3/8" Comp
3343	Straight stop valve	1/2" PEX x PEX
3349	Straight stop valve	1/2" PEX x 1/4" OD comp
3346	Angle stop valve	1/2" PEX x 3/8" Comp
3350	Angle stop valve	1/2" PEX x 1/4" OD comp

PEX STOPS



- Compression stops for PEX
- Angle or straight
- Chrome plated

PART#	TYPE	DESCRIPTION
12666	Straight valve	1/2" PEX x 3/8" Comp
12667	Straight valve	1/2" PEX x 1/2" PEX
12662	Angle valve	1/2" PEX x 3/8" Comp

PEX FROST FREE FAUCET WITH BUILT IN BREAKER



- Chrome Brass
- Frost Free with Breaker
- Self Draining
- 1/2" PEX
- CSA Approved

PART#	DESCRIPTION
806508P	8" long
806510P	10" long
806512P	12" long
806514P	14" long

PEX TOOLS

PEX RING REMOVER



- PEX Rings are great - but when they have to be removed they become one of the biggest challenges a plumber faces
- Saves all 1/2" and 3/4" PEX fittings
- Saves you TIME and MONEY
- Easy to use even in difficult places
- Needs no adjustments
- High quality replaceable blades
- Will not damage your pipe or fittings
- Tool to be used on copper rings only

PART#	DESCRIPTION
7402ES	For 1/2" PEX rings
7404ES	For 3/4" PEX rings
7402B	Replacement blade

PROFESSIONAL PEX CUTTER 1-1/4"



- For cutting up to 1-1/4" soft pipe & hose
- Large blade & mouth
- Spring open & close for easy use

PART#	DESCRIPTION
4668P	PEX Cutter
4668PB	Replacement Blade

PEX CUTTER



- For cutting up to 1-1/4" soft pipe and hose
- ABS Body

PART#	DESCRIPTION
4668	PEX Cutter
4668B	Replacement Blade

SOFT TOUCH PEX TOOLS

PEX CRIMP TOOL - 12" HANDLE



- For 1/2" or 3/4" PEX pipe sizes
- Crimps conform to A.S.T.M. specifications
- Tools are supplied with a go/no-go gauge
- Tool length is 12" ("S" Length) and weighs 3 lbs.
- The Soft-Touch short handle tools are well suited for manifold and difficult access areas.
- High mechanical advantage in a compact design make this product the plumbing contractor's first choice
- Made in USA

PEX CRIMP TOOL - 16" HANDLE



- For 1/2" or 3/4" PEX pipe sizes
- Crimps conform to A.S.T.M. specifications
- Tools are supplied with a go/no-go gauge.
- Tool length is 16" ("M" Length) and weighs 4 lbs.
- The Soft-Touch medium handle tools are considered the standard of the industry
- The longer length on this tool promotes productivity and minimizes user fatigue
- Made in USA

PART#	DESCRIPTION
9202STS	for 1/2" PEX Ring
9203STS	for 3/4" PEX Rings

PART#	DESCRIPTION
9202STM	for 1/2" PEX Rings
9203STM	for 3/4" PEX Rings

PEX CRIMP TOOL - 19" HANDLE



- For 1/2" or 3/4" PEX pipe sizes.
- Crimps conform to A.S.T.M. specifications.
- Tools are supplied with a go/no-go gauge.
- Tool length is 19" ("L" Length) and weighs 4 lbs.
- The Soft-Touch long handle tools provide maximum reach with the lowest crimp loads
- Made in USA

PEX CRIMP TOOL - DUAL 1/2" & 3/4" RINGS



- Dual Tool for 1/2" & 3/4" PEX pipe sizes.
- Crimps conform to A.S.T.M. specifications.
- Tools are supplied with a go/no-go gauge.
- The Soft-Touch medium handle tools are considered the standard of the industry.
- The longer length on this tool promotes productivity and minimizes user fatigue.
- Made in USA

PART#	DESCRIPTION
9202STL	for 1/2" PEX Rings
9203STL	for 3/4" PEX Rings

PART#	DESCRIPTION
9206STS	12" handle 1/2" & 3/4" tool
9205STM	16" handle 1/2" & 3/4" tool
9205STL	19" handle 1/2" & 3/4" tool

LYNCARS PEX TOOLS

LYNCAR PEX CRIMP TOOL



- Lyncar's Soft-Grip Mid-Short handle tools are the best value tool for PEX manifold work, also ideal for difficult access areas.
- Compact design and high mechanical leverage make this tool the service plumber's first choice
- For 1/2" or 3/4" PEX pipe sizes.
- Crimps conform to A.S.T.M. specifications.
- Supplied with a go/no-go gauge.

LYNCAR PEX QUAD CRIMP TOOL KIT - 14" HANDLE




- Lyncar's Soft-Grip Mid-Short handle tools are well suited for manifold and difficult access areas.
- A Value priced PEX Crimp Tool Kit for the Service Plumber Crimping Jaws for 3/8", 1/2", 5/8" & 3/4" PEX pipe sizes.
- Crimps conform to A.S.T.M. specifications.
- Supplied with a go/no-go gauge.
- 14" Handle

PART#	HANDLE SIZE	DESCRIPTION
9301	14"	for 1/2" PEX Rings
9302	14"	for 3/4" PEX Rings
9303	18"	for 1/2" PEX Rings
9304	18"	for 3/4" PEX Rings
93071	18"	for 1" PEX Rings

PART#	DESCRIPTION
9300	3/8", 1/2", 5/8" & 3/4"

PEX NO-GO GAUGE ONLY



- Stamped metal gauges
- For checking your work
- Go/No Go for 1/2", 3/4" & 1" sizes

LYNCAR COMBO PEX CRIMP TOOL - 1/2" & 3/4"



- Lyncar's Soft-Grip Long handle tools are considered the best value in PEX crimp tools.
- The longer handle length is better suited for productivity and minimizes user fatigue.
- Combo Crimp Head for 1/2" & 3/4" PEX pipe sizes.
- Supplied with a go/no-go gauge.
- 14" Handle
- Crimps conform to A.S.T.M. specifications.

PART#	DESCRIPTION
8999	No-Go Gauge

PART#	DESCRIPTION
9309	1/2" & 3/4"

PEX TOOLS

LYNCAR SSC PEX "CLINCH CLAMP" RATCHET TOOL



- LYNCAR'S SSC style clamp tool makes connections for PEX Tubing with the SSC style clamps of different sizes. This SSC style PEX Tool is gaining in popularity due to its ease of use.
- Covers 5 sizes from 3/8" to 1" SSC PEX Clamp Ring sizes.
- Crimps conform to A.S.T.M. specifications.
- Tool length is 19" ("L" Length) and weighs 4 lbs.
- Professional Model
- Built for every day use by the construction Plumber
- More comfortable hand grip and a robust crimping mechanism for long tool life.

PART#	DESCRIPTION
9308	Contractor grade blister packaged
9308P	Professional Model Heavy Duty

PEX CLAMP BUSTER



- Removes the SSC style fitting clamps in order to remove the PEX Tubing. Includes the Socket wrench.
- Works on all sizes of SSC style clamps.

PART#	DESCRIPTION
9308RT	Clamp removal tool

ANGLED HEAD COMPACT CRIMP TOOL



- The LYNCAR SoftCrimp 9310 & 9311 are professional quality heavy-duty crimpers that have an "open-stop" for one handed crimping.
- The angled head design make it easily used in all tight spots
- Available for crimp ring size 1/2" and 3/4".

PART#	DESCRIPTION
9310	for 1/2" PEX Rings
9311	for 3/4" PEX Rings

PEX TOOLS

CRIMP SOFT TOUCH TOOL



- 12" long
- 1/2" or 3/4" head
- Provides a new level of access in confined crimp locations
- Handles can be opened unobstructed for overhead in between joist crimping, in a cabinet or standing over a pipe which require a flush crimp to any surface
- Crimps to ASTM F1807 specifications
- Crimp head is tilted to 90 degrees
- Toggle action assures all rings are crimped to spec
- Supplied with a "Go/No Go Size Gauge"

PART#	DESCRIPTION
-------	-------------

9202STS90A	1/2" head
9203STS90A	3/4" head

POCKET CRIMPER



- Crimps standard black copper PEX rings
- Preferred by professionals
- Use for 3/8", 1/2" and 3/4"
- Includes tool, pouch and a "Go/No Go Size Gauge"
- 6 pack is a counter display for quick impulse sales

PART#	DESCRIPTION
-------	-------------

9312	Pocket Crimper
------	----------------

PEX TOOL HD FOR SS RING, ONE HAND LED LIGHT



- PEX tool for SSC type clamps
- One hand operation
- LED light confirms a good clamp
- Spring loaded handle for easy operation

PART#	DESCRIPTION
-------	-------------

9313	PEX tool H.D., with LED light
------	-------------------------------