

PLUMBERS TOOLS

MAGNETIC TELESCOPING INSPECTION MIRROR

- Blister packed
- Mirror is 4cm
- Magnet can hold up to 1lb
- Telescope extends to 24"



LED TELESCOPIC LIGHT INSPECTION MIRROR

- Blister packed
- Turns on when extended and off when returned to the closed position
- Telescope extends up to 7"



PART#	DESCRIPTION
4914	Inspection mirror

PART#	DESCRIPTION
4915	Professional inspection mirror with LED light

FLEXIBLE MAGNET PICK UP TOOL

- Poly bag display
- Magnet & flexible
- Comfort grip handle
- 24" long cable
- 2 kg magnet



PART#	DESCRIPTION
4916	2kg magnet pick up tool

TELESCOPING WHITE LIGHT LED & MAGNET TOOL

- Blister packed
- Illuminates from the front and from the side
- Turns on when extended and off when returned to the closed position
- Magnet will hold up to 1lb
- Telescope extends up to 24"



PART#	DESCRIPTION
4920	Telescoping white light LED

FITTING BRUSHES

PREMIUM QUALITY FITTING BRUSH



- Consider our Premium Fitting Brush when making your selection
- The Highest Quality, Finest Fitting Brush Available! Spring tempered stainless steel wire bristles.
- Precision trimmed to ensure maximum contact of the bristle ends and cutting edges.
- Interlaced double spiral construction
- Quadruple galvanized steel stems
- Double Spiral / Double Stem Stainless Steel Wire (4 wires)
- Brush bristles are twisted between four stem wires with two layers of bristles
- Each layer is perpendicular to the other

STANDARD QUALITY FITTING BRUSH



- High Carbon Crimp Steel Bristles
- Single Spiral / Single Stem (2 wires)
- Brush bristles are twisted between two stem wires with a single wire on each side.

PART#	DESCRIPTION
5126	1/2"
5128	3/4"
5130	1"
5131	1-1/4"
5132	1-1/2"
5133	2"

PART#	DESCRIPTION
5114	1/2"
5116	3/4"
5118	1"
5119	1-1/4"
5120	1-1/2"
5121	2"

OPEN MESH CLOTH - PLUMBERS



- 180 Grit
- Aluminum oxide
- Resin bond
- Boxed

SAND CLOTH - PLUMBERS



- Specially formulated for use in preparing copper fittings and tubing for soldering
- Box packaged

PART#	DESCRIPTION
3108	5 YD box
3109	10 YD box

PART#	DESCRIPTION
3103	5 YD box
3102	10 YD box
3105	25 YD box

PLUMBERS TOOLS

4 IN 1 BRUSH



- High carbon crimp steel bristles

PROFESSIONAL FAUCET RESEATER KIT



KIT INCLUDES:
 4- Hardened steel cutters for various size faucets
 1- Guide cone
 4- Faucet washer
 1- Solid brass screw
 1- Long shaft for tub & showers

PART#	DESCRIPTION
5150	1/2" & 3/4" fitting & tube brush

PART#	DESCRIPTION
12844P	Reseater tool

FOUNTAIN 2-IN-1 WRENCH



- Tightens or loosens cartridge retaining bushing
 - Prevents bushing thread damage which causes leaks

WRENCH - TELESCOPING BASIN



- Extends from 9" to 16"
 - Swivel jaw with spring

PART#	DESCRIPTION
7047	Key for bubblers

PART#	DESCRIPTION
4573	Extends 9" to 16"

O-RING PICK



- O-Ring pick for removal of washers & O-Rings
 - 18ga wire

WRENCH - REGULAR BASIN



- For use on basin nuts, ballcocks & flushvalves
 - Cadmium plated
 - Jaw has springs
 - Swivel head operates right or left

PART#	DESCRIPTION
5200	O-Ring Pick

PART#	DESCRIPTION
4574	11" wrench
4590	15" wrench

PLUMBERS TOOLS

WRENCH - TUB & SHOWER VALVE



- 5 piece set of wrenches with wire bar
- Total 10 sizes: 21/31", 27/32", 29/32", 31/32", 1-1/32", 1-3/32", 1-5/32", 1-9/32", 1-11/32", 1-7/16"
- For installing or removing recessed valve stems

CLEANOUT PLUG WRENCH



- This unique tool fits either slotted or square countersunk cleanout plugs
- Strong, malleable iron

PART#	DESCRIPTION
5300	Wrench - Tub & Shower Valve

PART#	DESCRIPTION
4567	Cleanout Plug Wrench

BIBB SEAT TOOLS



- For all faucet seats
- Cadmium plated
- Heat treated

BIBB SEAT TOOL SET



- SET INCLUDES:
- 1- 3/8" x 7/16" ratcheting box wrench
 - 1- Small hex/large hex tapered bibb seat tool
 - 1- Small square/large square no taper bibb seat tool

PART#	DESCRIPTION
4563	Square x Hex x Straight
4564	Tapered - Angled

PART#	DESCRIPTION
4568	Bibb Seat Tool Set

CANADIAN STYLE BIBB SEAT TOOL



- For all faucet seats
- Cadmium plated
- Heat treated
- 6 Step - Angled

EASY OUT TOOL FOR SLOAN FLUSHMATE CARTRIDGE



- Fast, Heavy Duty
- Easy In- Easy Out
- Eliminate Broken Cartridges And Skinned Knuckles
- The Original Easy-Out Sloan Flushmate Cartridge Extractor Tool

PART#	DESCRIPTION
4561	Canadian Style Bibb Seat Tool

PART#	DESCRIPTION
10138	Easy Out Tool

PLUMBERS TOOLS

KEY - SILLCOCK

- Die Cast



PART#	DESCRIPTION
1699	1/4" key
1700	5/16" key

**KEY - HEATER FURNACE
LOGLIGHTER**

- Die Cast
- Stem length: 10"



PART#	DESCRIPTION
1706	1/4"
1707	5/16"

KEY - FOUR WAY

- Fits stopcocks,
- sillcocks and valves
- Sizes are 1/4" to 9/32" and
5/16" to 11/32"
- Precision machined plated
steel



PART#	DESCRIPTION
1701	Key - Four Way

**WRENCH - 3 IN 1 RADIATOR
VALVE**

- Inserts
- Rethreads
- Extracts



PART#	DESCRIPTION
4947	Chrome plated brass

PARTITION STOP KEY - BRASS

- Partition Or Access Keys
- 4 Lengths Available
- Machined Brass



PART#	DESCRIPTION
1486	3" long
1487	6" long
1488	9" long
1489	12" long

WRENCH - RADIATOR SPUD

- 6 tiered wrench 1/2" - 2"
- Cast aluminum



PART#	DESCRIPTION
4558	Spud wrench

PLUMBING TOOLS

WRENCH WATER HEATER ELEMENT



- Removes water heater elements
- Heavy duty construction for 1-1/2" elements

DUMBELL WRENCH - DIY



- Import, D.I.Y. grade
- Sorry no guarantee

PART#	DESCRIPTION
4946	Wrench Water Heater Element

PART#	DESCRIPTION
4556	Dumbell wrench

SMART DUMBELL



- Installs or removes drains without crossbars (KOHLER, AMERICAN STANDARD)
- Heavy duty die-cast aluminum
- Prevents scratching of decorative finishes
- Either a crescent wrench or large phillips screwdriver can be used to turn the tool
- Saves time, money and aggravation

US made, Contractor Grade, Life Time Guarantee

PART#	DESCRIPTION
4554	Smart Dumbell

WRENCH - SPUD



- For slip nuts, lock nuts and strainer nuts
- 10" non adjusting, 1" to 3" Capacity
- One piece head treated forging

PART#	DESCRIPTION
4570	Wrench - Spud

WRENCH - ADJUSTABLE SPUD



- 10" Length
- 1" to 3" Capacity
- For slip nuts, locknuts and strainer nuts

PART#	DESCRIPTION
4571	Wrench - Adjustable Spud

WRENCH - INTERNAL SPUD



- A must to install or remove urinal and closet spud, waste and overflows, 4" capacity
- Cushioned grip

PART#	DESCRIPTION
4562	Wrench - Internal Spud

HAND & CUTTING TOOLS

QUICK NUTCRACKER™



- Patent Number 4,365,413
- Quickly removes corroded 1/2" zinc locknuts from faucet shanks. Heat treated cutter blades
- Ball thrust bearings
- Durable black oxide finish
- Will work on faucet shanks with only three threads showing
- For use on:
 - 1/2" Shank single basin faucet
 - 1/2" Shank centres
 - 1/2" Shank kitchen faucets

PART#	DESCRIPTION
7000	Quick Nutcracker™

MOEN® STEM AND CARTRIDGE PULLER



- Removes MOEN® stems and MOEN® cartridges from faucets and shower valves.
- Removes Brass cartridges
- Removes Brass stems
- Removes Plastic stems & cartridges
- Precision made
- High quality steel components
- One piece construction
- Easy to use

PART#	DESCRIPTION
7040	MOEN Stem & Cartridge Puller

EASY-CUT JAWS



EASY-CUT JAWS

- Is a quality professionally engineered tool.
- Has a hardened steel hex end that fits into any drill chuck.
- Has a built-in spring loaded patented safety chip-guard.
- Uses a heat treated bi-metal cutter that cuts through brass, steel and plastic faucet mounting nuts.
- Works on all faucet brands that have 1/2" water supply shanks.

PART#	DESCRIPTION
7018	Easycut

PLUMBING TOOLS

BIG YANK HANDLE PULLER



- Removes large and small handles
- Economical yet tough
- One piece forged drive bracket
- 4" bracket width
- 5" gripper fingers

PART#	DESCRIPTION
4659	Big Yank Handle Puller

BIG YANK SR.™ HANDLE PULLER



- The only handle puller that grips faucet handles with 3 fingers
- One piece forged drive bracket
- Notches in bracket keep fingers from sliding apart
- Engineered for the professional
- 5" gripper fingers

PART#	DESCRIPTION
4659SR	Big Yank Sr.™ Handle Puller

XPULLER - IMPACT HANDLE



- Sliding impact handle assists in breaking free troublesome handles.

PART#	DESCRIPTION
4660	XPuller - Impact Handle

SIZING GAUGES

SEAT GAUGE



- Faucet seat gauge
- Keep in toolbox or mount in workshop
- 24 sizes

STEM GAUGE



- Measure sizes of faucet stems
- Keep in toolbox or workshop

PART#	DESCRIPTION	PART#	DESCRIPTION
11320	Faucet Seat Gauge	11325	Faucet Stem Gauge

HANDLE GAUGE, FOR MEASURING STEM BROACHES



- 21 piece set

AERATOR GAUGE



- Measures & tests threads on aerators
- 20 sizes

PART#	DESCRIPTION	PART#	DESCRIPTION
11321	Faucet Handle Gauge	11322	Aerator Gauge

PLUMBERS TOOLS

QUICK SWEAT



Flexible 24" steel cables will slide through elbows and are interchangeable with the handle to fit different size copper. Durable polypropylene handle will fit 1/2" thru 2" cables.

Long lasting elastomeric plug
Eliminates "bread" and outperforms all the rest... expensive CO2 freezing devices and copper plug tools.

PATENT NUMBER 5,819,804

PART#	DESCRIPTION
51500	Kit including: Handle & 1- each 1/2", 3/4", 1" cables
51040	Handle ONLY
51012	1/2" Cable ONLY
51034	3/4" Cable ONLY
51010	1" Cable ONLY
51114	1-1/4" Cable ONLY
51115	1-1/2" Cable ONLY
51120	2" Cable ONLY

PIPE PLUG



For Copper Water Pipe 1/2" to 2-1/2" Diameter
Perfect for Residential, Commercial, and Industrial
Plumbing & Contracting.

Cut-away pipe shows the Pipe Plug expanded inside the pipe.

Why wait for the line to drain to solder? No need to – if you have a Pipe Plug kit! Pipe Plug allows leaky valves to be replaced & other pipe modifications made with the minimum of downtime and inconvenience! Pipe Plug stops the flow of water so repairs can be made fast and easy.

No need for a separate rod for each pipe size.

Changing from one pipe size to another is quick and simple. All of the rubber plugs & washers are nested together and secured in a convenient storage tube. Using a combination of standard fittings, the down time can be drastically reduced which allows you to quickly move on to the next job.

Each Kit Includes:

Storage Tube, Rod(s) with Tightening Handle, Adjustable Stop Rubber Plug Set, Full Instructions

PART#	DESCRIPTION
59550	Pipe Plug Mini, 1, 3/4, 1/2"
59555	1/2, 3/4, 1, 1-1/4, 1-1/2, 2, 2-1/2"

PLUMBERS TOOLS

WRENCH - CLASSIC DRAIN



- Fits 3-1/2" plastic locknuts
- Fits 3-3/8" die cast basket strainer locknuts
- Fits brass locknuts on brass shower stall drains
- Stamped shell
- 13" overall length
- Offset handle for close quarter work
- Cushion grip

PART#	DESCRIPTION
7095	Drain Wrench

WRENCH - PO PLUG



- Removes PO plugs and tub drains
- 6" long
- Carded for display

PART#	DESCRIPTION
4555	P.O. wrench

WRENCH - STRAINER NUT



- Cast strainer nut wrench
- Carded for display

PART#	DESCRIPTION
4569	Strainer Nut Wrench

WRENCH - CLOSET SEAT NUT



- Fits any length bolt
- Fits 99% of closet seat nuts, Die cast
- 3-1/2" long
- Carded for display

PART#	DESCRIPTION
4557	Wrench closet

WRENCH - BASKET STRAINER



- Zinc plated steel
- Handle slides
- Carded for display

PART#	DESCRIPTION
4949	Strainer wrench

PLUMBERS TOOLS

KEY - WATER METER & METER SOCKET HEAD



KEY WATER METER



3/8" SLOTTED KEY

Key Water Meter
- Designed for valves that are hard to turn
- Heavy Duty
- Minimum order of 6 keys required

3/8" Slotted Key
- Designed for the City of Toronto valves

Meter Socket Head
- Make any length meter key using 1/2" IPS threaded pipe and this socket

PART#	SHAFT	LENGTH	HANDLE
4060	5/8"	36"	14"
4061	5/8"	60"	14"
4089	3/4"	28"	14"
4061SP	5/8"	60"	18"

RAMBIT FITTING SAVER



SAVES
- Plastic fittings
- Solvent welded ball valves

TIME
- Repairing solvent welded closet flanges
- Cut 3" and 4" DWV flush, below slab or sub-floor
- Repairing irrigation and swimming pool manifolds
- Repairing sprinkler risers
- Repairing freeze damaged plastic pipe

PATENT NUMBER
4,720,219

PART#	SIZE
3237	1/2"
3239	3/4"
3241	1"
3242	1-1/4"
3243	1-1/2"
3244	2"
3253	3"
3254	4"

PLUMBERS TOOLS, FOR LEAD

LEAD LADLES



- Cast iron lead melting ladles

PART#	DESCRIPTION
4585	3"
4587	4"

PLUMBERS TYPE LEAD POTS



- Cast iron lead pots

PART#	SIZE	VOLUME IN WEIGHT
4592	6"	30 LBS.
4594	8"	70 LBS.

CAULKING TOOLS



- For lead & oakum

PART#	DESCRIPTION
4442	5/8" X 7" inside caulker
4443	5/8" X 7" outside caulker
4444	5/8" X 7" straight caulker
4446	1-1/2" curved caulker
4447	5/8" x 12" offset yarning iron
4448	5/8" x 16" spring yarning iron

LEAD JOINT RUNNERS



PART#	RUNNER SIZE	FOR SOIL PIPE SIZE
4576	# 1	2" to 4"
4577	# 2	4" to 6"
4578	# 3	6" to 10"

LEAD MELTING FURNACE



- Accommodates 6" to 8" lead pots
- Works off direct propane cylinder pressure
- Fits 3" cylinder
- Stand converts furnace to free standing unit
- 1/4" I.P.T. connections

PART#	DESCRIPTION
4597	Lead melting furnace without stand
4599	Stand with valve

PLUMBERS TOOLS, GAUGES

GAUGE - LAZY HAND WATER TEST



- Dual Reading Dial (KPA and PSI)
- 2-1/2" Dial Face
- Regular pressure hand (shown at zero) pushes LAZY hand to peak operating or surge pressure point where it remains until you manually reset it.
- Excellent to determine if P/T valve is leaking from failure or if leaking is caused by surge

WATER TEST GAUGE



- Dual Scale Dial (KPA and PSI)
- 2-1/2" Dial Face

PART#	PSI
1423	0-160#
1428	0-300#

PART#	PSI
1440	0-160#
1430	0-300#

GAUGE - AIR TEST ASSEMBLY



- Plastic face
- All parts precision made and assembled with sealant
- 3/4" FPT
- 2" Gauge

PART#	PSI	INCREMENTS
1427	0-30#	1/2#
1421	0-100#	2#

TIRE PUMP, HEAVY DUTY



- Metal Frame
- 160 PSI Rated
- 20" Tall
- 8" Handle
- Large Stabilizer Base
- 24" Hose

DELUXE TIRE PUMP WITH GAUGE



- 24" Flexible Hose
- With Quick Connect Nozzle
- Foot Stabilize
- Chrome Cylinder
- Stands 23" Tall
- 7" Handle
- Complete with gauge

PART#	DESCRIPTION
1426	Tire Pump, Heavy Duty

PART#	DESCRIPTION
1429	Tire pump with gauge

TEST PLUGS

TEST PLUG - SINGLE SURE TEST



- Maximum Back Pressure
- Air: 10 PSIG
- Water: 30FT. Hd.
- Not sold with inflation hose

PART#	IPS SIZE	MAX DIAMETER	MAX INFLATION
4730	1-1/4" - 1-1/2"	1-3/4"	30 PSI
4731	2"	2-1/4"	30 PSI
4732	3"	3-1/4"	30 PSI
4733	4"	4-1/4"	30 PSI
4734	6"	6-1/4"	30 PSI
4735	8"	8-1/4"	25 PSI
4736	10"	10-1/4"	25 PSI
4737	12"	12-1/4"	25 PSI

TEST PLUG - LONG SURE TEST



- Maximum Back Pressure
- Air: 10 PSIG
- Water: 30FT. Hd.
- Sold with 2 ft. extension hose

PART#	IPS SIZE	MAX DIAMETER	MAX INFLATION
4743	2"	2-1/4"	30 PSI
4744	3"	3-1/4"	30 PSI
4745	4"	4-1/4"	30 PSI
4746	4" - 6"	6-1/4"	30 PSI

EXTENSION HOSES



- Tire pump connections
- 1/4" Male x 1/4" Female swivel
- Any length hose can be ordered
- Please call for quote

PART#	LENGTH
4759-2	2 ft.
4759-3	3 ft.
4759-4	4 ft.
4759-5	5 ft.
4759-6	6 ft.

TEST PLUGS

TEST PLUG - "SURE TEST" DUAL
STAGE LONG

- Maximum Back Pressure
- Air: 10 PSIG
- Water: 30FT. Hd.
- Two-2Ft. hoses are molded as part of the plug.
- Additional hose lengths may be required.
- This 2-hose plug has twin chamber construction which allows the nose of the plug to be inflated or deflated separately from the back of the plug. This dual stage, 2 hose inflation deflation plug protects the contractor from test water overflow.

PART#	IPS SIZE	MAX DIAMETER	MAX INFLATION
4739	2- 3"	3-1/4"	30 PSI
4740	3- 4"	4-1/4"	30 PSI

TEST PLUG - NYLON EXPANSION



- LYNCAR offers a low pressure nylon test plug available from 2" to 6" sizes
- These are a superior and versatile nylon plug that accommodate a wide variety of applications
- They are shatter proof, corrosion resistant, and can be easily cleaned for long use
- All wing nut plugs when tightened will expand to seal in the pipe
- The plugs are hollow, allowing water or gas to be injected or drained as required.

PART NUMBER	SIZE	PSI
R19027	2"	30
R19028	3"	15
R19029	4"	15
R19030	5"	12
R19031	6"	10

TEST PLUGS

DRAIN KING - VIP



VIP1 - 1" - 2" Drains

- Swimming Pool Lines
- Bathtubs & Showers
- Bathroom Sinks
- Works with 1-1/4" sink
- Included:
- 501 Drain King
- #99 garden hose to faucet adapter PE60 sink strainers adapter

VIP2 - 1-1/2" - 3" Drains

- Washing Machine Drains
- Bathtubs & Showers
- Kitchen Sinks
- Included:
- 186 Drain King
- #99 garden hose to faucet adapter PE60 sink strainers adapter

PART#	DESCRIPTION
4631	# VIP1 - 1" - 2" Drains
4632	# VIP2 - 1-1/2" - 3" Drains

DRAIN KING



Part# 4624

- Unclogs 1" - 2" Drains
- Swimming Pool Lines
- Bathtubs & Showers
- Bathroom Sinks
- Works with 1-1/4" sink

Part# 4625

- Unclogs 1-1/2" - 3" Drains
- Washing Machine Drains
- Bathtubs & Showers
- Kitchen Sinks

Part # 4626

- Unclogs 3" - 6" Drains
- Main Drains
- Basement Drains
- Outside Sewer Drains

PART#	DESCRIPTION
4624	Unclogs 1" - 2" Drains
4625	Unclogs 1-1/2" - 3" Drains
4626	Unclogs 3" - 6" Drains

TEST PLUGS

TEST CAPS KNOCKOUT



- Solvent weld to ABS or PVC DWV pipe.
- Fits both sch. 40 as well as foam core DWV.
- Sold in poly bags of 100 pcs.

PART NUMBER	SIZE
4842	1-1/2"
4843	2"
4844	3"
4845	4"

TEST CAP & CLEAN OUT



- Fits plastic and hubless cast iron DWV pipe.
- Made from high quality rubber with a stainless steel clamp
- Rubber has cross rib for extra strength and inside knurling grips pipe.

PART #	SIZE
4417	1-1/2"
4418	2"
4419	3"
4422	4"
4840	5"
4841	6"

SAFE-T-SEAL BY G.T. WATER

SAFE-T-SEAL TEST PLUGS FITS 1-1/4 - 2" PIPE



G.T. WATER PRODUCTS has developed its SAFE-T-SEAL line with a concern for the consumer's safety. Test plugs are specifically used to pressure test water lines in new construction and in renovation projects. The SAFE-T-SEAL brand, as the name implies, has eliminated all of the negative, dangerous features associated with other major brands. SAFE-T-SEAL's distinctive features include: a safety valve to prevent over inflation or blow-out with built in pressure relief valves which are pre-set to release excess pressure through the plug valve; dual inflation capability gives the user the option of air or water; a waffle-patterned exterior to prevent the plug from slipping while in the pipe; two-stage deflation on long test plugs which eliminates back wash and flooding during deflation

SAFE-T-SEAL TEST PLUGS FITS 3" PIPE



G.T. WATER PRODUCTS has developed its SAFE-T-SEAL line with a concern for the consumer's safety. Test plugs are specifically used to pressure test water lines in new construction and in renovation projects. The SAFE-T-SEAL brand, as the name implies, has eliminated all of the negative, dangerous features associated with other major brands. SAFE-T-SEAL's distinctive features include: a safety valve to prevent over inflation or blow-out with built in pressure relief valves which are pre-set to release excess pressure through the plug valve; dual inflation capability gives the user the option of air or water; a waffle-patterned exterior to prevent the plug from slipping while in the pipe; two-stage deflation on long test plugs which eliminates back wash and flooding during deflation

PART#	DESCRIPTION
4627	Fits 1-1/4 - 2" Pipe

PART#	DESCRIPTION
4628	Fits 3" Pipe

SAFE-T-SEAL TEST PLUGS FITS 3"-4" PIPE



G.T. WATER PRODUCTS has developed its SAFE-T-SEAL line with a concern for the consumer's safety. Test plugs are specifically used to pressure test water lines in new construction and in renovation projects. The SAFE-T-SEAL brand, as the name implies, has eliminated all of the negative, dangerous features associated with other major brands. SAFE-T-SEAL's distinctive features include: a safety valve to prevent over inflation or blow-out with built in pressure relief valves which are pre-set to release excess pressure through the plug valve; dual inflation capability gives the user the option of air or water; a waffle-patterned exterior to prevent the plug from slipping while in the pipe; two-stage deflation on long test plugs which eliminates back wash and flooding during deflation

SAFE-T-SEAL TEST PLUGS FITS 4"-6" PIPE



G.T. WATER PRODUCTS has developed its SAFE-T-SEAL line with a concern for the consumer's safety. Test plugs are specifically used to pressure test water lines in new construction and in renovation projects. The SAFE-T-SEAL brand, as the name implies, has eliminated all of the negative, dangerous features associated with other major brands. SAFE-T-SEAL's distinctive features include: a safety valve to prevent over inflation or blow-out with built in pressure relief valves which are pre-set to release excess pressure through the plug valve; dual inflation capability gives the user the option of air or water; a waffle-patterned exterior to prevent the plug from slipping while in the pipe; two-stage deflation on long test plugs which eliminates back wash and flooding during deflation

PART#	DESCRIPTION
4629	Fits 3"-4" Pipe

PART#	DESCRIPTION
4630	Fits 4"-6" Pipe

NON BLOW UP TYPE TEST PLUGS & ACCESSORIES

TEST PLUG - CAST IRON



- These test plugs are manufactured from cast iron, with a long test nipple and durable rubber seals.

PART#	REPLACEMENT RUBBER	SIZE
4600	4610	1-1/2"
4601	4611	2"
4602	4612	3"
4603	4613	4"
4604	4614	5"
4605	4615	6"
4606	4616	8"
4607	4617	10"
4608	4618	12"
4609	4619	15"

TEST PLUG - WING NUT ECONOMY



- Designed with a rubber flange that grips the end of the pipe preventing slippage while tightening.
- Red rubber body with plated steel top & bottom and wing nut.
- 3" & 4" supplied with "Superfly" wing nut
- Use in plastic, cast iron, DWV. Plumbing, pool & spa applications

PART#	SIZE
4801	1"
4802	1-1/4"
4803	1-1/2"
4804	2"
4806	3"
4808	4"

TEST PLUGS & AUGERS

EXPANDABLE TEST PLUGS G.T. WATER



- Drain king, cleanout plugs
- No metal parts.
- Easy to install and remove

PART#	SIZE	OEM#
4833	1-1/2"	MTP152
4834	2"	MTP202
4835	3"	MTP302
4836	4"	MTP402
4837	6"	MTP602

TEST PLUG - FLEXIBLE ALL AMERICAN



- The popular "All American" plug is made with two rubber balls and a non rusting aluminum casting.
- They can easily be tightened by hand. Flexible spring and cable.
- Rubber balls provide a sure seal, and retains shape after constant use.

PART#	SIZE
4619AA	1-1/2"
4620AA	2"
4621AA	3"
4622AA	4"
4623AA	6"
4624AA	8"

HAND SPINNER DAHLE



- A reliable stand-by hand spinner when working with tough kitchen and bathroom sink and bath/shower drains.
- Available with either 1/4", 5/16" cable or the very robust 3/8" cable.
- Cable won't slip in chuck, yet easy to tighten/loosen.
- Large handle is easy to grip.
- Available in Bulb Head or Drop Head versions.
- Available in either 10 ft. or 20 ft. length cables

PART#	DESCRIPTION
982D3810	1/4" x 10'
982D3820	1/4" x 20'
982D40	5/16" x 20' with bulb auger
982D4038	3/8" x 20' with bulb auger
982D4038DH	3/8" x 20' with drop head
982D40DH	5/16" x 20' with drop head

AUGERS

HEAVY DUTY TOILET AUGER



- Professional quality tools available in a 3 ft. (K3) or 6 ft. length (K6).
- Ideal for quick and safe removal of obstructions in the toilet.
- Specially designed to traverse tough traps
- Available with Drop Head or Bulb Head design
- Durable, 1/2" inner-core cable
- Large handles are easy to use
- Vinyl guard protects damage to toilets
- D-6 model expandable 3 ft. longer than D-3

PART#	DESCRIPTION
981K3	3' Toilet Auger with Bulb Head
981K3DH	3' Toilet Auger with Drop Head
981K3RB	3' Bulb Replacement Cable
981K3RD	3' Drop Head Replacement Cable
981K6	6' Toilet Auger with Bulb Head
981K6DH	6' Toilet Auger with Drop Head
981K6RB	6' Bulb Head Replacement Cable

URINAL AUGER



- Professional quality tools available in a 3 ft. (K3) or 6 ft. length (K6).
- Ideal for quick and safe removal of obstructions in the toilet.
- Specially designed to traverse tough traps
- Available with Drop Head or Bulb Head design
- Durable, 1/2" inner-core cable
- Large handles are easy to use
- Vinyl guard protects damage to toilets
- D-6 model expandable 3 ft. longer than D-3

PART#	DESCRIPTION
981D2	29" with Bulb Head
981D4C	4' Inner Core Cable with Bulb Head

STANDARD TOILET AUGER



- Professional quality tools available in a 3 ft. (K3) or 6 ft. length (K6).
- Ideal for quick and safe removal of obstructions in the toilet.
- Specially designed to traverse tough traps
- Available with Drop Head or Bulb Head design
- Durable, 1/2" inner-core cable
- Large handles are easy to use
- Vinyl guard protects damage to toilets
- D-6 model expandable 3 ft. longer than D-3

PART#	DESCRIPTION
981D1	3' X 3/8" Cable with Bulb Head
981D4H	3' X 1/2" Cable with Bulb Head

AUGERS

AUGER - CANISTER TYPE



- Spin Thru Augers
- Quality Economy Model
- 15 & 25 foot lengths

PART#	DESCRIPTION
15100	15 ft
15105	25ft

AUGER - CANISTER DRILL DRIVEN



- Spin Thru Augers with Drill Attachment
- Quality Economy Model
- 15 & 25 foot lengths

PART#	DESCRIPTION
15115	15 ft
15120	25ft

AUGER - CLOSET



- Steel Tube Closet Auger
- Quality Economy Model
- 3 foot length

PART#	DESCRIPTION
15110	3 ft

PLUNGERS

FORCE CUP PLUNGER



- High quality Red Rubber
- Available in 5" & 6" diameters
- 19" Wood Handle

PLUNGER HEAVY DUTY BOWL FORCE CUP



- Extra Large for best pressure with positive seal
- Designed for all types of toilets
- High quality black rubber
- Big bell for big jobs
- 19" Wood Handle

PART#	CUP SIZE
4640	5" cup
4641	6" cup

PART#	DESCRIPTION
4637	Plunger heavy duty, force cup

SINK PLUNGER



- 4" Diameter Cup
- 9" Wood Handle

PLUNGER - DUAL BLAST FORCE CUP



- High quality rubber
- 19" Wood Handle
- Bell shape provides positive seal
- Dual action works well on sinks and wash basins, etc

PART#	DESCRIPTION
4639	High quality Red Rubber, for kitchen

PART#	DESCRIPTION
4638	Dual blast

PLUNGER - FUNNELED NOSE



- Sold in 12pcs. display pack Only
- Funneled Nose
- 162 Cubic Inch Displacement
- More Plunge Per Push
- Won't Skid
- Fit all Toilet Bowls

PLUNGER - MASTER PLUMBER'S FORCE CUP



- Heavy Duty
- Ribbed cup for strength
- Provides big blast for all stoppages
- High quality rubber
- 19" Wood Handle

PART#	DESCRIPTION
4642	Dark blue

PART#	DESCRIPTION
4636	Professional plunger

PLUMBERS TOOLS

NO-HUB TORQUE WRENCH



- Measures torque when turned in a clockwise direction & ratchets when turned counterclockwise
- When the brand screw is tightened to the correct torque, the wrench ratchets so the handle will continue to turn but the drive socket will not.
- Retractable reversing lever
- Chrome vanadium socket for 5/16" Hex Head Screw
- 6" Long
- Torques to 60 inch lbs.

PART#	DESCRIPTION
7020	Chrome plated brass

ANTIFREEZE TESTER



- LYNCAR's antifreeze tester (refractometers) is high quality, impact resistant and comes in its own carrying case.
- Provides accurate direct reading in both fahrenheit and centigrade of glycol coolants.

PART#	DESCRIPTION
996055	Chrome plated brass

WRENCH - STRAP



- Will not mar chrome, fittings and nipples

PART#	DESCRIPTION
4542	7"
4543	11"

PLUMBERS TOOLS

CANE ROD PLUNGER



Builds up pressure of water which forces obstruction clear.

- Used to build up water pressure in pipes & flush through any blockages that may have occurred
- Main uses: unblocking main stacks, floor drains, vents & outside downspout drain stock
- The traditional rods use the best quality imported cane that is carefully selected for uniformity & consistency
- It is assembled with high quality solid brass joints that are securely fitted to the rods with brass rivets

PART#	DESCRIPTION
99440	36" long cane rods (3pack)
99441	Rubber plunger head assembly
99441D	Rubber plunger disc replacement rubber only