



Safety Data Sheet

SDS ID: Stock Code LD

Revision date: July 10, 2015

Section 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product name: Pro Bubble Leak Detector
Product number: 59082, 59083, 59085
Synonyms: Big Bubble Leak Detector
Chemical family: Surfactant mixture
Producer: J.C. Whitlam Manufacturing Company
200 West Walnut Street
P.O. Box 380
Wadsworth, Ohio 44282-0380
www.jcwhitlam.com

Telephone: 330-334-2524 Available during normal business hours

Emergency: 330-334-2524 Available during normal business hours

Section 2. HAZARDS IDENTIFICATION

GHS Classification in accordance with 29 CFR 1910.1200

Skin Corrosion/Irritation, *Category 3*

Eye Damage/Irritation, *Category 2B*

GHS Label elements, including precautionary statements: Warning 

Hazard statements

H316 Causes mild skin irritation

H320 Causes eye irritation

Precautionary Statements

P264 Wash skin thoroughly after handling.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. Get medical attention/advice.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P337+313 If eye irritation persists: Get medical advice/ attention.

Hazards not otherwise classified or not covered by GHS

Ingestion: May cause abdominal discomfort, nausea, and diarrhea.

Carcinogenic: No ingredients listed by the IARC, NTP, OSHA, or the ACHIH.

Section 3. COMPOSITION / INFORMATION ON INGREDIENTS

Material information:

Name	CAS No.	Weight %
Alpha-(Nonylphenyl)-(Omega-hydroxypoly (oxy-1,2-ethanediyl)	9016-45-9	1
Non-hazardous ingredients	Not Applicable	99

***Note:** The above weight percentages are represented in ranges as estimates. Due to variation among production batches, component percentages may vary.

Section 4. FIRST AID MEASURES

General Advice: Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of the dangerous area.

Inhalation: Move exposed persons to fresh air. If the person is not breathing or breathing is irregular, provide artificial respiration or oxygen by trained personnel. Consult a physician.

Skin contact: Wash affected skin with soap and water. Get medical attention if symptoms occur. Wash contaminated clothing before reuse.


Ingestion: Do not induce vomiting, unless instructed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. If conscious and alert, rinse the mouth with water. Consult a physician.

Eye contact: Check for and remove any contact lenses, if easy to do so. If eye irritation persists, consult physician after flushing eyes with tepid water for 15 minutes.

Section 5. FIREFIGHTING MEASURES

Suitable extinguishing media:	Use extinguishing measures that are suitable to local circumstances and the surrounding fire and environment.
Specific hazards:	Combustion products may include carbon oxides.
Advice for Firefighters:	Full protective equipment including self-contained breathing apparatus should be used. Do not allow run-off from fire-fighting to enter drains or water courses.

	NFPA rating:	HMIS rating:
Health:	1	1
Flammability:	0	0
Instability/reactivity:	0	0
Other:	N/A	A (PPE)



Section 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions:	Immediately contact emergency personnel. Evacuate any potentially affected area and isolate personnel from entry.
Large Spill:	Personnel must have appropriate training, per Occupational Safety and Health Administration (OSHA) 29 CFR 1910.120. Do not touch damaged containers or spilled material unless wearing appropriate protective equipment (Section 8).
Methods for Containment and Clean up	Shut off source if possible and if safe. Prevent entry into waterways and sewers. Advise applicable authorities if material has entered sewers or water courses.

Section 7. HANDLING AND STORAGE

Handling:	Avoid breathing vapors. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling.
Storage:	Keep all containers tightly closed when not in use. Do not store with incompatible materials. See Section 10, Stability and Reactivity.

Section 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational Exposure Limits:

Name	CAS No.	ACGIH® TLV® Exposure Limits:	Federal OSHA PELs	OSHA PELs 1989 ^c
Alpha-(Nonylphenyl)- (Omega-hydroxypoly (oxy- 1,2-ethanediyl)	9016-45-9	None	None	None

All exposure limits listed are 8-hour time weighted average (TWA) — except where noted otherwise.

^A Time Weighted Average (TWA) is an average exposure over the course of an 8-hour work shift.

^B A Short Term Exposure Limit TWA over the course of 15 minutes.

PEL — Permissible Exposure Limit is the maximum 8-hour TWA concentration of a chemical that a worker may be exposed to under Occupational Safety and Health Administration (OSHA) regulations.

^C Federal OSHA 1989 PELs were vacated but are in use and enforced by many state OSHA plans.

Engineering measures: Handle in accordance with good industrial hygiene and safety practices. Wash hands before breaks and at the end of the workday.

PERSONAL PROTECTIVE EQUIPMENT

Respiratory protection: For nuisance exposures, use type N95 (US) or type 1 (Europe Union EN 143) particle/mist respirator. For higher level protection, use type OV/AG/P99 (US) respirator cartridges. Use respirators and components approved by NIOSH.

Skin and body protection: Wear impervious clothing and gloves to prevent contact. Use the manufacturer's degradation and permeation data for protective material selection.

Eye protection: Wear safety spectacles with unperforated sideshields.

Hygiene measures: Avoid repeated or prolonged skin exposure. Wash hands before eating, drinking, smoking, or using toilet facilities. Promptly remove contaminated clothing and laundry before reuse.

Other precautions: Do not let the product enter drains.

Section 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Fluorescent yellow liquid
Physical state (solid/liquid/gas):	Liquid
Substance type (pure/mixture):	Mixture
Color:	Yellow
Odor:	None
Molecular weight:	Not available
pH:	Not Applicable
Boiling point/range (5-95%):	212°F, 100°C
Melting point/range:	32°F, 0°C
Decomposition temperature:	Not Available
Specific gravity:	1.01
Vapor density:	(AIR = 1) Not available
Vapor pressure:	Not available
Evaporation rate (Butyl acetate= 1):	Not available
Flash point, method used:	Not flammable
Water solubility:	100%
VOC Content:	Not available
Auto-ignition temperature:	Not applicable
Flammable limits in air — lower (%):	Not applicable
Flammable limits in air — upper (%):	Not applicable

Section 10. STABILITY AND REACTIVITY

Reactivity:	No data available
Stability:	Stable under recommended storage conditions
Possibly hazardous reactions:	No data available
Conditions to avoid:	No data available
Incompatible Materials:	Strong oxidizing agents.
Hazardous decomposition products:	By fire, see Section 5. Other decomposition products: No data available
Polymerization:	Will not occur.

Section 11. TOXICOLOGICAL INFORMATION

Acute toxicity: Skin and eye irritation.

Product information:

Name	CAS No.	Inhalation:	Dermal:	Oral:
Alpha-(Nonylphenyl)- (Omega-hydroxypoly (oxy-1,2-ethanediyl)	9016-45-9	No data available	No data available	No data available

LC₅₀ — The concentration of the chemical in air that kills 50% of the test animals in a given time (usually four hours).

Chronic toxicity: No component of this product, present at levels greater than or equal to 1% is identified as a probable, possible, or confirmed human carcinogen by the IARC, NTP, OSHA, and ACGIH.

Sensitization: Not known to cause sensitization in humans.

Section 12. ECOLOGICAL INFORMATION

Ecotoxicity effects: No data available.
Persistence No data available.
Degradability: No data available.

Section 13. DISPOSAL CONSIDERATIONS

Cleanup Considerations: This product is not a hazardous waste as defined under RCRA 40 CFR 261. The material destined for disposal must be characterized properly and may differ from the product described in this SDS if mixed with other wastes.

Section 14. TRANSPORT INFORMATION

Please refer to DOT regulation 49 CFR 172.101:

Transport information: This material is not regulated under DOT when transported via U.S. commerce routes: and IATA, and IMO via international routes

Hazardous Materials Description: (DOT and IATA):

UN/identification no.: Not Applicable
Proper shipping name: Not Applicable
Hazard class: Not Applicable
Packing group: Not Applicable
DOT reportable quantity (lbs.): Not Applicable

Section 15. REGULATORY INFORMATION

U.S. federal regulatory information:

U.S. RCRA (40 CFR 261)

This product is not a hazardous waste as defined under RCRA 40 CFR 261.

State and community right-to-know regulations:

The following component(s) of this material are identified on the regulatory lists below:

U.S. TSCA Chemical inventory Section 8(b)

OSHA — This product is determined to be hazardous as defined in the OSHA Hazard Communications Standard (29 CFR 1910.1200)

CERCLA Sections 102a/103 (40 FR 302.4):

No ingredients are listed.

Some Components of this product are listed in the following sections of **SARA**:

SARA Title III Section 302 — N/A

SARA Title III Section 304 — N/A

SARA Title III Section 313 — This product does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels.

SARA Title III Sections 311/312 Hazardous Categories (40 CFR 370.21)

Acute health hazard: Yes
Chronic health hazard: No
Fire hazard: No
Reactive Hazard: No
Pressure Hazard: No

California Proposition 65 Components

This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

***NOTE:** User must consult with applicable state and local agencies for special specifics, determinations or compliance obligations regarding this product.*

Section 16. OTHER INFORMATION

The information and recommendations contained herein are based upon tests, data, and information resources believed to be reliable. However, LynCar and the J.C. Whitlam Manufacturing Company, Inc., and its related operations or divisions (Whitlam or LynCar) do not guarantee the accuracy or completeness, nor shall any of this information constitute a warranty, whether expressed or implied, as to the safety of goods, the merchantability of the goods or the fitness of the goods for a particular purpose. Adjustment to conform to actual conditions of usage may be required. Whitlam and LynCar assume no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of this data. No warranty against infringement of any patent, copyright or trademark is made or implied.